

PEZOS — Bešavne cevi po schedule / Seamless pipe by schedule

ANSI/ASME B36.10M (API 5L) · NPS 1/8–14 · kg/m i lb/ft · strana 1/4

NPS	DN	D (mm)	D (in)	t (mm)	t (in)	Schedule	Klasa / Class	kg/m	lb/ft
1/8"	6	10,3	0,405	1,73	0,068	40	STD	0,366	0,246
1/8"	6	10,3	0,405	2,41	0,095	80	XS	0,470	0,316
1/4"	8	13,7	0,540	2,24	0,088	40	STD	0,634	0,426
1/4"	8	13,7	0,540	3,02	0,119	80	XS	0,797	0,535
3/8"	10	17,1	0,675	2,31	0,091	40	STD	0,844	0,567
3/8"	10	17,1	0,675	3,2	0,126	80	XS	1,10	0,738
1/2"	15	21,3	0,840	2,77	0,109	40	STD	1,27	0,852
1/2"	15	21,3	0,840	3,73	0,147	80	XS	1,62	1,09
1/2"	15	21,3	0,840	4,78	0,188	160		1,95	1,31
3/4"	20	26,7	1,050	2,87	0,113	40	STD	1,69	1,14
3/4"	20	26,7	1,050	3,91	0,154	80	XS	2,20	1,48
3/4"	20	26,7	1,050	5,56	0,219	160		2,90	1,95
1"	25	33,4	1,315	3,38	0,133	40	STD	2,51	1,68
1"	25	33,4	1,315	4,55	0,179	80	XS	3,24	2,18
1"	25	33,4	1,315	6,35	0,250	160		4,24	2,85
1 1/4"	32	42,2	1,660	3,56	0,140	40	STD	3,40	2,28
1 1/4"	32	42,2	1,660	4,85	0,191	80	XS	4,47	3,01
1 1/4"	32	42,2	1,660	6,35	0,250	160		5,62	3,78
1 1/2"	40	48,3	1,900	3,68	0,145	40	STD	4,06	2,73
1 1/2"	40	48,3	1,900	5,08	0,200	80	XS	5,42	3,64
1 1/2"	40	48,3	1,900	7,14	0,281	160		7,26	4,88
2"	50	60,3	2,375	2,11	0,083			3,03	2,04
2"	50	60,3	2,375	2,77	0,109			3,94	2,64
2"	50	60,3	2,375	3,18	0,125			4,49	3,01
2"	50	60,3	2,375	3,58	0,141			5,02	3,37
2"	50	60,3	2,375	3,91	0,154	40	STD	5,45	3,66
2"	50	60,3	2,375	4,37	0,172			6,04	4,06
2"	50	60,3	2,375	4,78	0,188			6,56	4,40
2"	50	60,3	2,375	5,54	0,218	80	XS	7,49	5,04
2"	50	60,3	2,375	6,35	0,250			8,46	5,69
2"	50	60,3	2,375	7,14	0,281			9,38	6,30
2"	50	60,3	2,375	8,74	0,344	160		11,1	7,48
2 1/2"	65	73	2,875	2,11	0,083			3,69	2,48

Dimenzije iz PEZOS kataloga (izdanje 2018, štampane strane 3–4); težine računane po formuli $(D - t) \times t \times 0,0247$, lb/ft izvedeno iz kg/m. Prazno polje znači da katalog za njega ne navodi vrednost. Katalog u ovoj tabeli ne navodi klasu XXS.

Dimensions from the PEZOS catalogue (2018 edition, printed pages 3–4); weights calculated as $(D - t) \times t \times 0.0247$, lb/ft derived from kg/m. An empty cell means the catalogue gives no value for that field. The catalogue does not list an XXS class in this table.

PEZOS — Bešavne cevi po schedule / Seamless pipe by schedule

ANSI/ASME B36.10M (API 5L) · NPS 1/8–14 · kg/m i lb/ft · strana 2/4

NPS	DN	D (mm)	D (in)	t (mm)	t (in)	Schedule	Klasa / Class	kg/m	lb/ft
2 1/2"	65	73	2,875	2,77	0,109			4,81	3,23
2 1/2"	65	73	2,875	3,18	0,125			5,48	3,69
2 1/2"	65	73	2,875	3,58	0,141			6,14	4,12
2 1/2"	65	73	2,875	3,96	0,156			6,75	4,54
2 1/2"	65	73	2,875	4,37	0,172			7,41	4,98
2 1/2"	65	73	2,875	4,78	0,188			8,05	5,41
2 1/2"	65	73	2,875	5,16	0,203	40	STD	8,65	5,81
2 1/2"	65	73	2,875	5,49	0,216			9,15	6,15
2 1/2"	65	73	2,875	6,35	0,250			10,5	7,02
2 1/2"	65	73	2,875	7,01	0,276	80	XS	11,4	7,68
2 1/2"	65	73	2,875	9,53	0,375	160		14,9	10,0
3"	80	88,9	3,500	2,11	0,083			4,52	3,04
3"	80	88,9	3,500	2,77	0,109			5,89	3,96
3"	80	88,9	3,500	3,18	0,125			6,73	4,52
3"	80	88,9	3,500	3,58	0,141			7,54	5,07
3"	80	88,9	3,500	3,96	0,156			8,31	5,58
3"	80	88,9	3,500	4,37	0,172			9,12	6,13
3"	80	88,9	3,500	4,78	0,188			9,93	6,67
3"	80	88,9	3,500	5,49	0,216	40	STD	11,3	7,60
3"	80	88,9	3,500	6,35	0,250			12,9	8,70
3"	80	88,9	3,500	7,14	0,281			14,4	9,69
3"	80	88,9	3,500	7,62	0,300	80	XS	15,3	10,3
3"	80	88,9	3,500	11,13	0,438	160		21,4	14,4
3 1/2"	90	101,6	4,000	2,77	0,109			6,76	4,54
3 1/2"	90	101,6	4,000	3,18	0,125			7,73	5,19
3 1/2"	90	101,6	4,000	3,58	0,141			8,67	5,82
3 1/2"	90	101,6	4,000	3,96	0,156			9,55	6,42
3 1/2"	90	101,6	4,000	4,37	0,172			10,5	7,05
3 1/2"	90	101,6	4,000	4,78	0,188			11,4	7,68
3 1/2"	90	101,6	4,000	5,74	0,226	40	STD	13,6	9,13
3 1/2"	90	101,6	4,000	6,35	0,250			14,9	10,0
3 1/2"	90	101,6	4,000	7,14	0,281			16,7	11,2
3 1/2"	90	101,6	4,000	8,08	0,318	80	XS	18,7	12,5

Dimenzije iz PEZOS kataloga (izdanje 2018, štampane strane 3–4); težine računane po formuli $(D - t) \times t \times 0,0247$, lb/ft izvedeno iz kg/m. Prazno polje znači da katalog za njega ne navodi vrednost. Katalog u ovoj tabeli ne navodi klasu XXS.

Dimensions from the PEZOS catalogue (2018 edition, printed pages 3–4); weights calculated as $(D - t) \times t \times 0.0247$, lb/ft derived from kg/m. An empty cell means the catalogue gives no value for that field. The catalogue does not list an XXS class in this table.

PEZOS — Bešavne cevi po schedule / Seamless pipe by schedule

ANSI/ASME B36.10M (API 5L) · NPS 1/8–14 · kg/m i lb/ft · strana 3/4

NPS	DN	D (mm)	D (in)	t (mm)	t (in)	Schedule	Klasa / Class	kg/m	lb/ft
4"	100	114,3	4,500	2,77	0,109			7,63	5,13
4"	100	114,3	4,500	3,18	0,125			8,73	5,86
4"	100	114,3	4,500	3,58	0,141			9,79	6,58
4"	100	114,3	4,500	3,96	0,156			10,8	7,25
4"	100	114,3	4,500	4,37	0,172			11,9	7,97
4"	100	114,3	4,500	4,78	0,188			12,9	8,69
4"	100	114,3	4,500	5,16	0,203			13,9	9,35
4"	100	114,3	4,500	5,56	0,219			14,9	10,0
4"	100	114,3	4,500	6,02	0,237	40	STD	16,1	10,8
4"	100	114,3	4,500	6,35	0,250			16,9	11,4
4"	100	114,3	4,500	7,14	0,281			18,9	12,7
4"	100	114,3	4,500	7,92	0,312			20,8	14,0
4"	100	114,3	4,500	8,56	0,337	80	XS	22,4	15,0
4"	100	114,3	4,500	11,13	0,438	120		28,4	19,1
4"	100	114,3	4,500	13,49	0,531	160		33,6	22,6
5"	125	141,3	5,563	4,78	0,188			16,1	10,8
5"	125	141,3	5,563	5,56	0,219			18,6	12,5
5"	125	141,3	5,563	6,55	0,258	40	STD	21,8	14,6
5"	125	141,3	5,563	7,14	0,281			23,7	15,9
5"	125	141,3	5,563	7,92	0,312			26,1	17,5
5"	125	141,3	5,563	8,78	0,344			28,7	19,3
5"	125	141,3	5,563	9,529	0,375	80	XS	31,0	20,8
6"	150	168,3	6,625	7,11	0,280	40	STD	28,3	19,0
6"	150	168,3	6,625	7,92	0,312			31,4	21,1
6"	150	168,3	6,625	8,74	0,344			34,4	23,1
6"	150	168,3	6,625	9,52	0,375			37,3	25,1
6"	150	168,3	6,625	10,97	0,432	80	XS	42,6	28,6
8"	200	219,1	8,625	6,35	0,250			33,4	22,4
8"	200	219,1	8,625	7,04	0,277	30		36,9	24,8
8"	200	219,1	8,625	7,92	0,312			41,3	27,8
8"	200	219,1	8,625	8,18	0,322	40	STD	42,6	28,6
8"	200	219,1	8,625	8,74	0,344			45,4	30,5
8"	200	219,1	8,625	9,52	0,375			49,3	33,1

Dimenzije iz PEZOS kataloga (izdanje 2018, štampane strane 3–4); težine računane po formuli $(D - t) \times t \times 0,0247$, lb/ft izvedeno iz kg/m. Prazno polje znači da katalog za njega ne navodi vrednost. Katalog u ovoj tabeli ne navodi klasu XXS.

Dimensions from the PEZOS catalogue (2018 edition, printed pages 3–4); weights calculated as $(D - t) \times t \times 0.0247$, lb/ft derived from kg/m. An empty cell means the catalogue gives no value for that field. The catalogue does not list an XXS class in this table.

PEZOS — Bešavne cevi po schedule / Seamless pipe by schedule

ANSI/ASME B36.10M (API 5L) · NPS 1/8–14 · kg/m i lb/ft · strana 4/4

NPS	DN	D (mm)	D (in)	t (mm)	t (in)	Schedule	Klasa / Class	kg/m	lb/ft
8"	200	219,1	8,625	11,13	0,438			57,2	38,4
8"	200	219,1	8,625	12,7	0,500	80	XS	64,7	43,5
8"	200	219,1	8,625	15,09	0,594	100		76,0	51,1
10"	250	273	10,750	6,35	0,250	20		41,8	28,1
10"	250	273	10,750	7,09	0,279			46,6	31,3
10"	250	273	10,750	7,8	0,307	30		51,1	34,3
10"	250	273	10,750	8,749	0,344			57,1	38,4
10"	250	273	10,750	9,27	0,365	40	STD	60,4	40,6
10"	250	273	10,750	11,13	0,438			72,0	48,4
10"	250	273	10,750	15,09	0,594			96,1	64,6
12"	300	323,8	12,750	7,14	0,281			55,8	37,5
12"	300	323,8	12,750	7,92	0,312			61,8	41,5
12"	300	323,8	12,750	8,38	0,330	30		65,3	43,9
12"	300	323,8	12,750	8,74	0,344			68,0	45,7
12"	300	323,8	12,750	9,53	0,375		STD	74,0	49,7
12"	300	323,8	12,750	10,31	0,406	40		79,8	53,6
12"	300	323,8	12,750	11,13	0,438			86,0	57,8
12"	300	323,8	12,750	12,7	0,500		XS	97,6	65,6
12"	300	323,8	12,750	14,27	0,562	60		109	73,3
12"	300	323,8	12,750	17,489	0,688	80		132	88,9
14"	350	355,6	14,000	7,92	0,312	20		68,0	45,7
14"	350	355,6	14,000	8,74	0,344			74,9	50,3
14"	350	355,6	14,000	9,52	0,375	30	STD	81,4	54,7
14"	350	355,6	14,000	11,13	0,438	40		94,7	63,6
14"	350	355,6	14,000	11,91	0,469			101	67,9
14"	350	355,6	14,000	12,7	0,500		XS	108	72,3
14"	350	355,6	14,000	15,09	0,594	60		127	85,3
14"	350	355,6	14,000	19,059	0,750	80		158	106

Dimenzije iz PEZOS kataloga (izdanje 2018, štampane strane 3–4); težine računane po formuli $(D - t) \times t \times 0,0247$, lb/ft izvedeno iz kg/m. Prazno polje znači da katalog za njega ne navodi vrednost. Katalog u ovoj tabeli ne navodi klasu XXS.

Dimensions from the PEZOS catalogue (2018 edition, printed pages 3–4); weights calculated as $(D - t) \times t \times 0.0247$, lb/ft derived from kg/m. An empty cell means the catalogue gives no value for that field. The catalogue does not list an XXS class in this table.